	SYSTEMS NESS LAW PUR, CO., PORTLAND, ORE.
FORM No. 24—ACKNOWLEDGMENT—CORPORATION.	147 - 0420
STATE OF OREGON, County of Deschutes County Matter	On this 16th day of June , 1987.,
before me appeared Gerard W. Paccox	issikto me personally known, who being
duly sworn, did say that he, the said is the President, and known said	Gerald W. Mattox
the within named Corporation, and that the seal arms tion, and that the said instrument was signed and se	Redmond. LandCo. ted to said instrument is the corporate seal of said Corpora- aled in behalf of said Corporation by authority of its Board 2006x
acknowledge said instrument to be the free act and de IN TESTIMO!	weed of said Corporation. NY WHEREOF, I have hereunto set my hand and affixed my official seal the day and year last above written.
	Notary Public for Oregon.
10 14 15 15 15 15 15 15 15 15 15 15 15 15 15	My Commission expires

Mar & Acres

STATE OF OREGON,

County of Deschutes

On this 16th day of June 19.87,

before me appeared George D. Trout Jr.

is the President, and Deschutes of Carlin Investments Inc.

the wild rather the said instrument was signed and sealed in behalf of said Corporation by authority of its Board of Directors, and George D. Trout Jr.

and

On this 16th day of June 19.87,

Section 19.87,

Sec

EXHIBIT "A"

The land on the Plat of Valleyview located in Sections 19 and 20 of Township 15 South and Range 13 East of the Willamette Meridian in Deschutes County, Oregon, described as follows:

Beginning at the southeast corner of Block 11 HILL CREST located in the southwest one quarter of Section 20 in said Township and Range; and running thence South 89° 45' 45" West a distance of 229.88 feet to the southwest corner of said Block 11; thence South 89° 46' 08" West 60.03 feet to the southeast corner of Block 12 of said subdivision; thence South 89° 38' 16" West 207.74 feet to the southwest corner of said Block 12; thence South 89° 50' 54" West 59.87 feet to the southeast corner of Block 13 in said subdivision; thence South 00° 22' 00" East 30.03 feet to a 5/8" iron rod in the centerline of Umatilla Avenue; thence South 89° 40' 56" West 256.69 feet to a 1/2" iron rod established for the South 1/16 corner between Sections 19 and 20 in the platting of said subdivision; thence North 89° 22' 59" West 821.67 feet along the 1/16th line as used in said HILL CREST subdivision to a 5/8" iron rod set on the easterly right-of-way of Reservoir Road; thence 30.85 feet along the arc of a 355.00 foot radius curve left (the long chord of which bears North 68° 08' 50" West 30.84 feet) to a 5/8" iron rod set on the southerly extension of the West line of Block 15 of said subdivision; thence leaving said right-of-way North 00° 24' 59" West 208.70 feet to the southwest corner of Lot 4 of said Block 15; thence North 00° 22' 37" West 190.06 feet to the northwest corner of said Lot 4; thence South 89° 23' 49" East 379.76 feet to the northeast corner of said Block 15; thence South 89° 41' 22" East 59.98 feet to the northwest corner of Block 14 in said subdivision; thence North 00° 25' 54" West 29.97 feet to a 5/8" iron rod set in the centerline of an unnamed avenue; thence South 89° 27' 00" East 190.38 feet to a 5/8" iron rod; thence leaving said centerline North 01° 07' 36" West 30.04 feet to the southeast corner of Lot 3, Block 7 of said subdivision; thence North 00° 14' 04" West 190.04 feet to the northeast corner of said Lot 3; thence North 00° 30' 58" West 189.96 feet to the northwest corner of Lot 4 Block 7 in said subdivision; thence North 00° 24' 01" West 59.89 feet to the southeast corner of Lot 3, Block 2 of said subdivision; thence North 00° 29' 27" West 189.98 feet to the northeast corner of said Lot 3; thence North 00° 30' 15" West 185.32 feet to the northeast corner of Lot 4 Block 2 of said subdivision; thence South 88° 47' 53" East 190.07 feet to the northeast corner of said Block 2; thence South 88° 52' 18" East 60.02 feet to the northwest corner of Block 1 in said subdivision; thence North 89° 40' 00" East 147.89 feet to the centerline of the Central Irrigation District C-I Lateral as constructed; thence following said centerline South 37° 16' 27" East 113.69 feet; thence South 41° 47' 50" East 62.41 feet; thence South 28° 51' 01" East 170.55 feet; thence South 40° 42' 00" East 143.00 feet; thence South 52° 24' 08" East 124.65 feet; thence South 67° 45' 16" East 85.10 feet; thence South 56° 32' 53" East 180.98 feet thence South 41° 26' 19" East 91.82 feet; thence South 44° 28' 19" East 74.85 feet; thence South 59° 55' 38" East 104.08 feet; thence South 31° i3' 00" East 45.76 feet; thence South 14° 25' 00" East 63.00 feet; thence South 05° 48' 00" West 80.00 feet; thence South 14° 47' 00" West 138.67 feet; thence South 20° 52' 00" West 115.50 feet; thence South 14° 09' 00" West 51.78 feet to a point which is North 89° 45' 45" East of the point of beginning; thence leaving said canal centerline, South 89° 45' 45" West 113.92 feet to the point of beginning.

STATE OF OREGON COUNTY OF DESCRIPTES) 55.

I, MARY SUE PENHOLLOW, COUNTY CLERK AND RECORDER OF CONVEYANCES, IN AND FOR SAID COUNTY, DO MERCRY CERTHY THAT THE WITHIN INSTRUMENT WAS RECORDED THIS DAY:

87 JUN 19 AH 10: 27

The second second from the first term of the fir

rotacidas itas cipieras, a culturador uma um gresi (n. M. a Calentral entracione base garantina content con uma com

the radial territory of the state of the sta dell' a reagonat in director are a consideration of the MARY SUE PENHOLLOW COUNTY CLERK

The stage and section has a promited number to down a community and the section of the section o FEE /6 DESCRIPTES COUNTY OFFICIAL RECORDS